

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Southern/1-2017283331/2014/EOA/Corrigendum-1

Date: 10-Jun-2014

Corrigendum

To, The Principal Secretary (Higher Education) Govt. of Tamil Nadu, N. K. M. Bld. 6th Floor Secretariat, Chennai-600009

Sub: Extension of approval for the academic year 2014-15.

Ref: Application of the Institution for Extension of Approval for the Year 2014-15

 EOA Issued on
 F.No. Southern/1-2017283331/2014/EOA
 04-Jun-2014

 EOA Printed on
 F.No. Southern/1-2017283331/2014/EOA
 10-Jun-2014

 Corrigendum 1
 F.No. Southern/1-2017283331/2014/EOA/Corrigendum-1
 10-Jun-2014

Sir/Madam,

In partial modification of the letter F.No. Southern/1-2017283331/2014/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Southern	Application Id	1-2017283331
	7/	Permanent Id	1-1710591
Name of the Institute	S.K.P. ENGINEERING COLLEGE	Institute Address	CHINNKANGIYANUR, SOMASIPADI POST, TIRUVANNAMALAI TALUK, TIRUVANNAMALAI DIST,TIRUVANNAMALAI,TIRUVANNAMALAI,Tamil Nadu,606611
Name of the Society/Trust	SRI S. KUPPUSAAMY MEMORIAL EDUCATIONAL TRUST	Society/Trust Address	NO. 190, CHENGAM ROAD,,TIRUVANNAMALAI,TIRUVANNAMALAI,Tamil Nadu,606611
Institute Type	Unaided - Private		

Opted for change from	No	Opted for change of	No	Opted for change of	No
Women to Co-ed		name		site	
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

Application Number: 1-2017283331* Page 1 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:11 June 2014.

Printed By: ae224401





7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

to conduct following courses with the intake indicated below for the academic year 2014-15

Application Id: 1-201	7283331		Course		Affiliating Body					
Program	Shift	Level		Full/Part Time		Intake 2012-13	Intake 2013-14	Intake Approved for 2014- 15	NRI	PIO
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Anna University, Chennai	120	120	120	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	ELECTRONICS AND COMMUNICATION S ENGINEERING	FULL TIME	Anna University, Chennai	180	240	240	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Anna University, Chennai	120	120	120	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	INFORMATION TECHNOLOGY	FULL TIME	Anna University, Chennai	120	120	60	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	MECHANICAL ENGINEERING	FULL TIME	Anna University, Chennai	180	240	240	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Anna University, Chennai	18	18	18	NA	NA

Application Number: 1-2017283331* Page 2 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:11 June 2014.

Printed By: ae224401



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-2017283331		Course		Affiliating Body			2014-			
Program	Shift	Level		Full/Part Time		Intake 2012-13	Intake 2013-14	Intake Approved for 2014- 15	NRI	PIO
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	DESIGN ENGINEERING	FULL TIME	Anna University, Chennai	18	18	18	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	EMBEDDED SYSTEMS	FULL TIME	Anna University, Chennai	18	18	18	NA	NA
MANAGEMENT	1st Shift	POST GRADUA TE	MASTERS IN BUSINESS ADMINISTRATION	FULL TIME	Anna University, Chennai	120	120	60	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	APPLIED ELECTRONICS	FULL TIME	Anna University, Chennai	18	18	18	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	VLSI DESIGN	FULL TIME	Anna University, Chennai	18	18	18	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	POWER SYSTEMS ENGINEERING	FULL TIME	Anna University, Chennai	18	18	18	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	AERONAUTICAL ENGINEERING	FULL TIME	Anna University, Chennai	60	60	60	NA	NA

Application Number: 1-2017283331* Page 3 of 5

 $\label{thm:constraints} \mbox{NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.}$

Printed By: ae224401

Letter Printed On:11 June 2014.



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-2017283331		Course		Affiliating Body			for 2014-			
Program	Shift	Level		Full/Part Time		Intake 2012-13	Intake 2013-14	Intake Approved for 2014- 15	NRI	PIO
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	CIVIL ENGINEERING	FULL TIME	Anna University, Chennai	60	60	60	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	STRUCTURAL ENGINEERING	FULL TIME	Anna University, Chennai	0	18	18	NA	NA

• Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that S.K.P. ENGINEERING COLLEGE shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. Kuncheria P. Isaac) Member Secretary, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Shastri Bhawan 26, Haddows Road Chennai - 600 006, Tamil Nadu

Application Number: 1-2017283331* Page 4 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:11 June 2014.

Printed By: ae224401



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

2. The Director Of Technical Education,

Tamil Nadu

3. The Principal / Director,

S.K.P. ENGINEERING COLLEGE CHINNKANGIYANUR, SOMASIPADI POST, TIRUVANNAMALAI TALUK, TIRUVANNAMALAI DIST, TIRUVANNAMALAI,TIRUVANNAMALAI, Tamil Nadu,606611

4. The Secretary / Chairman,

SRI S. KUPPUSAAMY MEMORIAL EDUCATIONAL TRUST NO. 190, CHENGAM ROAD,, TIRUVANNAMALAI,TIRUVANNAMALAI, Tamil Nadu,606611

5. Guard File(AICTE)

Application Number: 1-2017283331* Page 5 of 5

 $\label{thm:constraints} \mbox{NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.}$

Printed By: ae224401

Letter Printed On:11 June 2014.